

etc



Inland Green Energy

(Unit of Inland Power Ltd.)

— Imagine. Integrate. Impact. —

Ref. No.: IGE/MoEF&CC/2022-23/12

Dated 20.12.2022

To,
The Scientist D,
Regional Office, Ranchi
Ministry of Environment Forest and Climate Change,
Harmu, Ranchi- 834002

Subject: Regarding Environmental Compliance of **Inland Green Energy (A Unit of Inland Power Limited)** at Village: Tonagatu & Biyang, Tehsil: Gola & Dulmi, District: Ramgarh, Jharkhand.


Ref.: Environmental Clearance Identification No. EC22A060JH176111 dated 24.03.2022

Dear Sir,

This has reference to the above we are submitting compliance of Environmental Clearance of Inland Green Energy (A Unit of Inland Power Limited) for the period of 01.04.2022 to 30.09.2022.

Thanking You

Yours Sincerely


S.N. Sinha
D.G.M (Coml)
Inland Green Energy
(A Unit of Inland Power Limited)

Encl.:

- 1) Copy of Compliance Report
- 2) Annexures

Copy to:

- 1) Regional Directorate, CPCB Kolkata
- 2) Member Secretary, J.S.P.C.B, Ranchi

Regd. Office:
P-221/2 Strand Bank
Kolkata - 700 001

EJ923064658IN IVR:6974923064658
SP ASHOK NAGAR SO RANCHI <834002>
Counter No:1.21/12/2022.11:12
To:THE REGIONAL ,CENTRAL POLLUTIO
PIN:700107, Madurdaha SO
From:INLAND GREE,TONAGATU, SARAM
Wt:155gms
Amt:47.20(Cash)Tax:7.20
<Track on www.indiapost.gov.in>
<Dial 18002666868> <Wear Masks, Stay Safe>

India Post



Received
Chunh
20/12/22



tonagatu,
pass

Ranchi Office:
C/218 Road No. 2, Ashok Nagar
Ranchi - 834 002
t: +91 651 2240532

COMPLIANCE REPORT

**Name of the Project : INLAND GREEN ENERGY
(A UNIT OF INLAND POWER LIMITED)**

**At. Village: Tonagatu & Biyang, Block: Gola & Dulmi,
District: Ramgarh, Jharkhand**

EC LETTER NO. : EC Identification No.- EC22A060JH176111 Dated 24th March, 2022)

File No.- IA-J-11011/63/2022-IA-II(I)

Period of Compliance : 1ST April, 2022 to 30TH September, 2022

Sl. No.	A. SPECIFIC CONDITIONS	COMPLIANCES
i.	As per the Notification S.O. 2339(E), dated 16 th June, 2021, project falls in category B2 and the proposed capacity of 350 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of a notarized affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Agreed and there is no chance to retract from the commitment during EC granting process. An agreement with Petroleum company to supply 100% of manufactured fuel ethanol has already been completed.
ii.	The company shall comply with all the environmental protection measures and safe guards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Agreed
iii.	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	Agreed
iv.	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out	Agreed



	to be different from the land considered at the time of appraisal of project.	
v.	Total Fresh water requirement shall not exceed 1853 KLPD and will be met from Surface water from Damodar Valley Corporation (DVC). Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	We have permitted for 1853 KLPD Surface water from Damodar Valley Corporation (DVC). Permission letter from the authority is enclosed as an annexure I. There is no need to extract ground water due to sufficient availability of surface water.
vi.	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. ESP shall be installed with the boiler. Ash generated in the proposed Ethanol plant shall be supplied through pneumatic conveyors to existing brick manufacturing unit of company's own (power) plant named M/s Inland Power Limited. PP shall use biomass like rice husk and coal as fuel for the proposed boiler. Low sulphur coal with maximum sulphur content of 0.5% shall only be used. PP shall meet 10% (800 KW) of the total power requirement from solar power.	Agreed
vii.	CO ₂ bottling plant shall be installed within plant premises.	Agreed
viii.	PP shall allocate at least Rs. 60 lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/ mask for personal protection.	Agreed
ix.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Noted and it (safety and health aspects of chemicals handling) will be implemented before and after commissioning of the project.
x.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Initially the PESO approval has been obtained for construction of storage tank. Certificate shall be



	Firefighting system shall be as per the norms. PESO certificate shall be obtained.	obtained after completion of the construction work.
xi.	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Agreed and we will be in process to tie up with TSDF for ETP Sludge and salt residue during evaporation process before commissioning.
xii.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed System into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce waste water generation.	Agreed
xiii.	The green belt of at least 5-10m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Agreed and we have obtained Consent to Establish from concerned authority (Attached as annexure II). The process of development of green belt will be started before coming monsoon. The implementation of the project is going on. Some photographs attached herewith (As annexure III) which shows that the construction work is in progress.
xiv.	PP proposed to allocate Rs. 5.0 Crores towards CER which shall be spent for up-gradation of 5 public schools with provision of facilities eg. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light/solar power support for uninterrupted power supply etc. All the proposed activities under CER plan shall be implemented in consultation with District Collector and shall be completed before the commissioning of project.	Noted and we have already started CER activities as directed by District Collector. We have constructed a pond in Serengatu village as Philanthropic activity (Construction of Amrit Sarovar Phase I).
xv.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no	Agreed



	parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes.	
xvi.	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Storage of raw materials will be kept in covered areas which will help to control fugitive emissions during unloading and other activities.
xvii.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	All the online monitoring system and web camera with night vision will be installed in the plant.
xviii.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	An Environmental Management Cell (having qualified person in Environment Science/Environmental Engineering) will be implemented and also in-house full-fledged laboratory facilities will be established to carry out environment monitoring inside and outside the plant.

Sl. No.	B. GENERAL CONDITIONS	COMPLIANCES
i.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this ministry/ SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Agreed
ii.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Noted and will be implemented.



iii.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Overall noise levels in and around the plant will be maintained to provide noise control measures including acoustic hoods, silencers, enclosures etc. under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
iv.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed
v.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	Separate funds will be kept towards capital cost and recurring cost per annum to implement the given condition of MoEF&CC.
vi.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied and copy attached herewith as annexure IV.
vii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB & SPCB. A copy of	Agreed



	Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	
viii.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	The Environmental Statement for each financial year will be submitted as Form-V to the concerned State Pollution Control Board after commissioning of the plant.
ix.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied and receiving photo copy is attached herewith as annexure V.
x.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	It will be intimated.
xi.	This Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted
19.	The ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time	Agreed



	bound manner. The ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	
20.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above any result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed
21.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	No any appeal against this Environmental Clearance.
22.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Agreed
23.	This issue with the approval of the competent authority.	Agreed





JHARKHAND STATE POLLUTION CONTROL BOARD

TOWNSHIP ADMINISTRATION BUILDING, HEC COMPLEX, DHURWA, RANCHI - 834004

Telephone: 0651-2400850 (Fax)/ 2400851/2400852/2401847/2400979/2400139

Ref No.: JSPCB/HO/RNC/CTE-13025462/2022/284

Dated : 2022-07-01

Consent to Establish (CTE) under section 25 /26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981

1. Reference: Application (s) No.- 13025462 / dated : 24/04/2022 of Inland Green Energy (A Unit of Inland Power Limited), GRIRAJ KUMAR JHAWAR for consent under section 25 /26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981

2. Documents Relied Upon:

(a) The content of Environment Clearance (EC) accorded by MoEF&CC vide F. no. IA- J-11011/63/2022-IA.II(I) dated 24.03.2022.

(b) The content of checklist of the Regional Officer, Regional office cum laboratory, Hazaribagh dated 28.05.2022 of Regional Office, JSPCB, Hazaribagh.

(c) The content of Self declaration with respect to procurement of raw materials from valid sources.

(d) The content of Self declaration with respect to abiding the terms and conditions of JSPCB.

(e) The content of DFO Ramgarh Forest Division vide letter no. 635 dated 25.03.2022.

3. The consent is granted under section 25 / 26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 to establish the project in Mauza- Tonagatu & Biyang, P S -Gola, District-RAMGARH as follows:

Project	Site-Area		Investment (Rs)/ Year	Product & Capacity	Period of CTE
	Plot Nos.	Area			
Before Expansion	As Per Land Schedule Submitted and EC	16.78 Ha. (As per EC)	380 Crore (As per EC)	Grain Based Ethanol- 350 KLPD; Electricity-15 MW.	As per EC.

(A) Specific Conditions:

1. That, the occupier shall obtain consent to operate from State Pollution Control Board under section 25 & 26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 prior to commissioning of the plant.
2. That, the occupier shall ensure compliance of the conditions imposed in EC.
3. That the occupier shall abide by the provisions of the Environment (Protection) Act, 1986 and submit the reports of effluent, emission, ambient air quality and noise level monitored before and after commissioning of the plant in compliance of the standards prescribed in the Environment (Protection) Rules, 1986.
4. That, the occupier shall collect and treat the effluent in foolproof latest system and shall recycle treated effluent for reuse in agriculture purposes.
5. That, the occupier shall make stack(s) of the height and with the provision(s) of emission monitoring port hole(s), ladder(s) and platform(s) as prescribed by Central Pollution Control Board.
6. That, the occupier shall submit effluent analysis report conducted by the State Board recognized Government run laboratory in support of his claim of adequacy of the system of effluent treatment, within a month after the installation of ETP.
7. That the occupier shall maintain premises neat & clean and wetting of the ground with appropriate technique.
8. That, the occupier shall keep D G Set(s) within acoustic enclosure (s) and shall keep the height(s) of exhaust pipe(s) as per Central Pollution Control Board norm.
9. That, the occupier shall grow and maintain greenery in the periphery and other available spaces and shall continue enhancing its plant density and biodiversity.
10. That, the occupier shall use fly ash and or fly ash bricks in construction of the project.
11. That, the occupier shall install and maintain Central Ground Water Board/ State Ground Water Directorate approved system of rain water harvesting-cum-ground water recharge.
12. That, the occupier shall make all roads pucca and shall maintain a good housekeeping by regular cleaning and wetting of the roads and dust prone areas.
13. That, the occupier shall submit photographs to establish the compliance of the aforesaid conditions at the time of submission of CTO application.
14. That, the occupier shall collect and treat the effluent in foolproof latest system and shall recycle treated effluent to the system for reuse and shall ensure no discharge of effluent outside the premises.
15. That, the occupier shall ensure continuous and uninterrupted power supply with provisions of separate energy meters for the pollution control systems to enable the pollution control systems to function uninterruptedly.

16. That, the occupier shall install air pollution control devices to keep emission levels below the standard.
17. That the occupier shall install CEMS and PM10 analyzer with online connectivity to JSPCB & CPCB server.

(B) General Conditions :

- (1) That, the occupier shall construct pucca (i) minimum ten feet high boundary wall and (ii) approach road and internal roads and shall keep the premises neat and clean and tidy.
- (2) That, the occupier shall install comprehensive enclosure (s) to cover the places of unloading of raw materials, the equipments of their processing & transferring, the places of loading of products, by products and wastes for prevention of fugitive emission and shall install such automatic inbuilt system(s) that in house dust/ gases collect(s) and undergo (es) cleaning and clean air goes out.
- (3) That, the occupier shall install such automatic inbuilt system(s) that process flue gas(es) / process gas(es) and undergo(es) cleaning and clean air go(es) out through the chimney(s), having height(s) as per Central Pollution Control Board norm.
- (4) That, the occupier shall have D G Set(s) of the standard as laid in the Environment (protection) Rules, 1986 and shall install it (them) within acoustic enclosure (s) and shall keep the height(s) of exhaust pipe(s) as per Central Pollution Control Board norm .
- (5) That, the occupier shall impart treatment as per Central Pollution Control Board text to wastewater and shall keep process effluent in close-circuit and effluent from other sources in conformity with the standard (s).
- (6) That, the occupier shall install Central Ground Water Board/ State Ground Water Directorate approved system of rain water harvesting-cum-ground water recharge.
- (7) That, the occupier shall create new water body (ies) / remove deposit(s) of existing water body(ies) and nearby stream(s) and pond(s) and shall maintain the wholesomeness of water.
- (8) That, the occupier shall grow greenery in the periphery and other available spaces and shall continue enhancing its plant density and biodiversity.
- (9) That, this CTE is valid subjected to the validity of mining Lease / Mining Plan / Ecofriendly / Environmental Clearance, if applicable. In case of no renewal of Mining Lease/Mining Plan, this consent shall be treated as revoked automatically.
- (10) That, this CTE is issued from the environmental angle only and does not absolve the occupier from other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with these conditions laid down in all other laws for the time being in force, rests with the industry/ unit/ occupier.
- (11) That, this CTE shall not in any way, adversely affect or jeopardize the legal proceeding , if any, instituted in the past or that could be , instituted against you by the State Board for violation of the provisions of the Act or the Rules made there under.
- (12) That, the occupier shall comply with all applicable provisions of the Water (Prevention & Control of Pollution) Act, 1974; the Water (Prevention & Control of Pollution) Cess Act, 1977; the Air (Prevention & Control of Pollution) Act, 1981; and the Environment (Protection) Act, 1986 and Rules there under.

4. That, this CTE shall not absolve the occupier from making compliance of other statutory prescribed under any law or direction of courts or any other instrument for the time being in force.
5. That, this CTE is being issued on the basis of information/ documents/ certificate submitted by the unit. This CTE will be revoked if any of the information/ documents/ certificates/ undertaking given by the occupier is found false/fictitious/forged in future.
6. This order shall be valid subject to compliance of all other legal requirements applicable to the unit.
7. The State Board reserves the right to revoke, withdraw or make any reasonable variation / change / alteration in condition of this consent.

This is issued with the approval of the competent authority

Digitally signed
by Yatindra
Kumar Das
Date: 2022.07.01
14:12:04 +05'30'

(Yatindra Kumar Das)
Member Secretary

Memo No. : JSPCB/HO/RNC/CTE-
13025462/2022/284

Dated : 2022-07-01

Copy to : SHRI GRIRAJ KUMAR JHAWAR, Inland Green Energy (A Unit of Inland Power Limited), Village- Tonagatu Biyang GOLA District: RAMGARH JHARKHAND/ Chief Inspector of Factories, Ranchi/ Director of Industry, Government of Jharkhand, Ranchi/ Director of Mines, Government of Jharkhand, Ranchi/ Deputy Commissioner, Ramgarh/ DFO, Ramgarh/ OMO, Ramgarh/ R O, JSPCB, Hazaribagh for information & ensuring compliance of the above.

Digitally
signed by
Yatindra
Kumar Das
Date:
2022.07.01
14:11:45
+05'30'

(Yatindra Kumar Das)
Member Secretary

Photographs of Work in Progress

Construction of Boundary Wall



Photographs of Work in Progress

Surface Levelling Works



Photographs of Work in Progress

Fabrication Works in Progress



Photographs of Work in Progress

Foundation Works of ESP & Boiler



Photographs of Work in Progress

Foundation Works of TG Building



Photographs of Work in Progress

Foundation Works of Storage Tank





InlandGreenEnergy

(A unit of Inland Power Ltd.)

Date: 25/03/2022

To,
The General Manager
District Industry Council (DIC)
Ramgarh, Jharkhand

Sub: Information Regarding Grant Of Environmental Clearance of for our upcoming Ethanol Production Unit.

Ref: Moef & CC Govt. of India EC Identification No. EC22A060JH176111 File No. IA-J-11011/63/2022-IA-II(I) Dated- 24/03/2022.

Sir,

We are please to inform that our company Inland Power Ltd is going to setup a 350 KLPD Grain Based Ethanol Production Unit along with 15 MW Captive Power Plant(CPP) In the name of Inland Green Energy(a Unit of Inland Power Limited) at Vill- Tonagatu & Biyang, Tahsil- Gola & Dulmi, District- Ramgarh, Jharkhand. This unit will be setup exclusively for Government of India Ethanol Blending Programm(EBP).

In the reference of above subject we are also here to inform you that MoEF&CC, GOI has grant EC to the above mentioned project vide EC Identification No.: EC22A060JH176111, File no. IA-J-11011/63/2022-IA-II(I), Dated – 24/03/2022. (Copy attached)

Thanking You

Encls: Copy of EC

Sincerely Yours

For Inland Green Energy
(A Unit of Inland Power Ltd)

Sanjay Kumar Singh
Sr. DGM(Admin)



InlandGreenEnergy

Registered Office:

P 221/2. Strand Bank Road
Kolkata – 700 001

Corporate Office:

30, Chowringee Road
3rd Floor, Flat No- 12
Kolkata – 700 016
T: +91 33 6136 6000

Plant Office:

Inland Nagar, Village – Tonagatu,
Gola-Charu Ramgarh Bypass,
Ramgarh - 829110,
Jharkhand, India

Ranchi Office:

C 218, Road No.2
Ashok Nagar, Ranchi- 834002
T: +91 651 2240532



InlandGreenEnergy

(A unit of Inland Power Ltd.)

Date: 25/03/2022

To,
The Chairman
Ramgarh Zilla Parishad
Ramgarh, Jharkhand

Sub: Information Regarding Grant Of Environmental Clearance of for our upcoming Ethanol Production Unit.

Ref: Moef & CC Govt. of India EC Identification No. EC22A060JH176111 File No. IA-J-11011/63/2022-IA-II(I) Dated- 24/03/2022.

Sir,

We are please to inform that our company Inland Power Ltd is going to setup a 350 KLPD Grain Based Ethanol Production Unit along with 15 MW Captive Power Plant(CPP) In the name of Inland Green Energy(a Unit of Inland Power Limited) at Vill- Tonagatu & Biyang, Tahsil- Gola & Dulmi, District- Ramgarh, Jharkhand. This unit will be setup exclusively for Government of India Ethanol Blending Programm(EBP).


In the reference of above subject we are also here to inform you that MoEF&CC, GOI has grant EC to the above mentioned project vide EC Identification No.: EC22A060JH176111, File no. IA-J-11011/63/2022-IA-II(I), Dated – 24/03/2022. (Copy attached)

Thanking You

Encls: Copy of EC

Sincerely Yours

For Inland Green Energy
(A Unit of Inland Power Ltd)


25/03/2022
Sanjay Kumar Singh
Sr. DGM(Admin)



InlandGreenEnergy

Registered Office:

P 221/2, Strand Bank Road
Kolkata – 700 001

Corporate Office:

30, Chowringee Road
3rd Floor, Flat No- 12
Kolkata – 700 016
T: +91 33 6136 6000

Plant Office:

Inland Nagar, Village – Tonagatu,
Gola-Charu Ramgarh Bypass,
Ramgarh - 829110,
Jharkhand, India

Ranchi Office:

C 218, Road No.2
Ashok Nagar, Ranchi- 834002
T: +91 651 2240532



InlandGreenEnergy

(A unit of Inland Power Ltd.)

Date: 25/03/2022

To,
The Deputy Commissioner
Ramgarh District
Ramgarh, Jharkhand

Sub: Information Regarding Grant Of Environmental Clearance of for our upcoming Ethanol Production Unit.

Ref: Moef & CC Govt. of India EC Identification No. EC22A060JH176111 File No. IA-J-11011/63/2022-IA-II(I) Dated- 24/03/2022.

Madam,

We are please to inform that our company Inland Power Ltd is going to setup a 350 KLPD Grain Based Ethanol Production Unit along with 15 MW Captive Power Plant(CPP) In the name of Inland Green Energy(a Unit of Inland Power Limited) at Vill- Tonagatu & Biyang, Tahsil- Gola & Dulmi, District- Ramgarh, Jharkhand. This unit will be setup exclusively for Government of India Ethanol Blending Programm(EBP).

In the reference of above subject we are also here to inform you that MoEF&CC, GOI has grant EC to the above mentioned project vide EC Identification No.: EC22A060JH176111, File no. IA-J-11011/63/2022-IA-II(I), Dated – 24/03/2022. (Copy attached)

Thanking You

Encls: Copy of EC

Sincerely Yours
For Inland Green Energy
(A Unit of Inland Power Ltd)

25/03/2022
Sanjay Kumar Singh
Sr. DGM(Admin)



InlandGreenEnergy

Registered Office:

P 221/2, Strand Bank Road
Kolkata – 700 001

Corporate Office:

30, Chowringee Road
3rd Floor, Flat No- 12
Kolkata – 700 016
T: +91 33 6136 6000

Plant Office:

Inland Nagar, Village – Tonagatu,
Gola-Charu Ramgarh Bypass,
Ramgarh - 829110,
Jharkhand, India

Ranchi Office:

C 218, Road No.2
Ashok Nagar, Ranchi- 834002
T: +91 651 2240532

CIN No. U51909WB1993PLC059205

E-mail: info@inlandpower.in



InlandGreenEnergy

(A unit of Inland Power Ltd.)

Date: 25/03/2022

To,
The Regional Officer
Ministry of Env., Forest and Climate Change
Banglow No-A 2, Mecon Shyamli Colony
Ranchi-834002, Jharkhand
Kind Attn: Shri Rajiv Ranjan Tiwary, Scientist- D

Sub: Information Regarding Grant Of Environmental Clearance of for our upcoming Ethanol Production Unit.

Ref: Moef & CC Govt. of India EC Identification No. EC22A060JH176111 File No. IA-J-11011/63/2022-IA-II(I) Dated- 24/03/2022.

Sir,

We are please to inform that our company Inland Power Ltd is going to setup a 350 KLPD Grain Based Ethanol Production Unit along with 15 MW Captive Power Plant(CPP) In the name of Inland Green Energy(a Unit of Inland Power Limited) at Vill- Tonagatu & Biyang, Tahsil- Gola & Dulmi, District- Ramgarh, Jharkhand. This unit will be setup exclusively for Government of India Ethanol Blending Programm(EBP).

In the reference of above subject we are also here to inform you that MoEF&CC, GOI has grant EC to the above mentioned project vide EC Identification No.: EC22A060JH176111, File no. IA-J-11011/63/2022-IA-II(I), Dated – 24/03/2022(Copy attached for your kind information)


Thanking You

Encls: Copy of EC

Sincerely Yours

For Inland Green Energy
(A Unit of Inland Power Ltd)

Sanjay Kumar Singh
Sr. DGM(Admin)



InlandGreenEnergy

Registered Office:
P 221/2. Strand Bank Road
Kolkata – 700 001

Corporate Office:
30, Chowringee Road
3rd Floor, Flat No- 12
Kolkata – 700 016
T: +91 33 6136 6000

Plant Office:
Inland Nagar, Village – Tonagatu,
Gola-Charu Ramgarh Bypass,
Ramgarh - 829110,
Jharkhand, India

Ranchi Office:
C 218, Road No.2
Ashok Nagar, Ranchi- 834002
T: +91 651 2240532



InlandGreenEnergy

(A unit of Inland Power Ltd.)

Date: 25/03/2022

To,
The Member Secretary
Jharkhand State Pollution Control Board
Town Administrative Building, HEC
Dhurwa, Ranchi-834004
Jharkhand

Sub: Information Regarding Grant Of Environmental Clearance of for our upcoming Ethanol Production Unit.

Ref: Moef & CC Govt. of India EC Identification No. EC22A060JH176111 File No. IA-J-11011/63/2022-IA-II(I) Dated- 24/03/2022.

Sir,


We are please to inform that our company Inland Power Ltd is going to setup a 350 KLPD Grain Based Ethanol Production Unit along with 15 MW Captive Power Plant(CPP) In the name of Inland Green Energy(a Unit of Inland Power Limited) at Vill- Tonagatu & Biyang, Tahsil- Gola & Dulmi, District- Ramgarh, Jharkhand. This unit will be setup exclusively for Government of India Ethanol Blending Programm(EBP).


In the reference of above subject we are also here to inform you that MoEF&CC, GOI has grant EC to the above mentioned project vide EC Identification No.: EC22A060JH176111, File no. IA-J-11011/63/2022-IA-II(I), Dated – 24/03/2022(Copy attached for your kind information)

Thanking You

Encls: Copy of EC

Sincerely Yours
For Inland Green Energy
(A Unit of Inland Power Ltd)


Sanjay Kumar Singh
Sr. DGM(Admin)



InlandGreenEnergy

Registered Office:
P 221/2. Strand Bank Road
Kolkata – 700 001

Corporate Office:
30, Chowringee Road
3rd Floor, Flat No- 12
Kolkata – 700 016
T: +91 33 6136 6000

Plant Office:
Inland Nagar, Village – Tonagatu,
Gola-Charu Ramgarh Bypass,
Ramgarh - 829110,
Jharkhand, India

Ranchi Office:
C 218, Road No.2
Ashok Nagar, Ranchi- 834002
T: +91 651 2240532



InlandGreenEnergy

(A unit of Inland Power Ltd.)

Date: 25/03/2022

To,
The Regional Officer
Jharkhand State Pollution Control Board
Hazaribag, Jharkhand

Sub: Information Regarding Grant Of Environmental Clearance of for our upcoming Ethanol Production Unit.
Ref: Moef & CC Govt. of India EC Identification No. EC22A060JH176111 File No. IA-J-11011/63/2022-IA-II(I) Dated- 24/03/2022.

Sir,


We are please to inform that our company Inland Power Ltd is going to setup a 350 KLPD Grain Based Ethanol Production Unit along with 15 MW Captive Power Plant(CPP) In the name of Inland Green Energy(a Unit of Inland Power Limited) at Vill- Tonagatu & Biyang, Tahsil- Gola & Dulmi, District- Ramgarh, Jharkhand. This unit will be setup exclusively for Government of India Ethanol Blending Programm(EBP).

In the reference of above subject we are also here to inform you that MoEF&CC, GOI has grant EC to the above mentioned project vide EC Identification No.: EC22A060JH176111, File no. IA-J-11011/63/2022-IA-II(I), Dated – 24/03/2022. (Copy attached)

Thanking You

Encls: Copy of EC

Sincerely Yours
For Inland Green Energy
(A Unit of Inland Power Ltd)


Sanjay Kumar Singh
Sr. DGM(Admin)



InlandGreenEnergy

Registered Office:

P 221/2. Strand Bank Road
Kolkata – 700 001

Corporate Office:

30, Chowringee Road
3rd Floor, Flat No- 12
Kolkata – 700 016
T: +91 33 6136 6000

Plant Office:

Inland Nagar, Village – Tonagatu,
Gola-Charu Ramgarh Bypass,
Ramgarh - 829110,
Jharkhand, India

Ranchi Office:

C 218, Road No.2
Ashok Nagar, Ranchi- 834002
T: +91 651 2240532

Temple where Muslims artisans worked to be opened on May 3

Ruchir Kumar
ruchirkumar@hindustantimes.com

PATNA: The sprawling temple of Lord Krishna in Patna, where around 200 Muslim artisans from Rajasthan worked day and night for almost five years to give it the finishing touch, will be thrown open to the public on May 3, said Devki Nandan Das, the zonal secretary of the International Society for Krishna Consciousness (ISKCON) on Tuesday.

The uniqueness of the temple
with a line, including an yin-yang
to make a roadmap to achieve
this goal.

The PM asserted that it is necessary to make early progress on the proposal of BIMSTEC FTA to enhance mutual trade among member states. "We should also increase exchanges between entrepreneurs and startups of our countries. Along with this, we should also try to adopt international norms in the field of trade facilitation," he told the BIMSTEC leaders.

In this context, the Indian Council for Research on International Economic Relations, in collaboration with the Asian Development Bank (ADB), is about to launch a programme to raise awareness of our officials concerning that without security it is impossible to ensure the prosperity or development of the region. Modi recalled that at the grouping's fourth summit in Thailand, it was decided to strengthen the regional legal network against terrorism, trans-national crime and non-traditional threats.

We had also decided to increase cooperation between law enforcement agencies. I am glad that our Convention to combat terrorism has become effective since last year. During the summit, a mutual legal assistance treaty on criminal matters is also being signed between us. We should also be quick to other similar agreements, so that there can be better coordination between our systems," the PM said.

nderlining that the BIM-
Centre for Weather and
ate is an important organi-
for cooperation in disaster
gement, especially disaster
duction. Modi sought the
poration of BIMSTEC
is to make this more active

to make this more active
is ready to contribute \$3
to restart the work of this
he said. Pointing out that
recently organised the
BIMSTEC Disaster Man-
agement Exercise "Panex-21",
said such exercises should
be conducted regularly so that the
regional system of working
together at the time of disaster is
strengthened among officers of
the member countries.

er connectivity is the way of better integration. It is, people-to-people relations among the member states," Modi said.

...we have adopted BIMSTEC Master Plan for Trans-Connectivity. I thank ADB for hearing this. We should have early implementation of master plan," he said.

Simultaneously, BIMSTEC should move fast on the initiatives in the field of connectivity. Modi said and added that it is necessary to develop a network at the earliest to

"In perfect religious harmony, the Muslim sculptors would offer namaaz at our temple during their stay of almost five years, while they worked on the stones. Contractor Raju Khan's team has now moved to work on a temple project in Dubai," added Das.

Almost 40% of the total cost of construction was used in its finishing, which included payment to the Muslim artisans for their craftsmanship, said Srikrishna Kripa Das, president of ISKCON, Patna Chapter.

In a tweet, he said, "Was happy to participate in the BIMSTEC Summit hosted by Sri Lanka. We took several important decisions to further BIMSTEC cooperation agenda. He commend the able leadership of Sri Lankan Prime Minister Mahinda Rajapaksa and extend best wishes to the incoming chair, Thai Premier Prayut Chan-o-cha."

Sri Lankan President Rajapaksa also underlined the need to protect the BIMSTEC region from the threats of terrorism, religious extremism and narcotics at the summit.

The main outcome of the summit was the adoption and signing of BIMSTEC Charter, which formalises the grouping to an organisation made up of members states that are littoral and dependent upon, the Bay of Bengal, the Prime Minister's office said in a statement. In his intervention, the PM underscored the importance of enhanced BIMSTEC regional connectivity, cooperation and security, and made several suggestions in this regard.

(With agency inputs)

IMRAN KHAN

342-member house to foil the opposition's bid to topple him. At present, his PTI party has 155 seats.

The PTI does not have a simple majority in Pakistan's national assembly and needs the support of coalition allies. Karachi-based MQM-P had thus far been Khan's biggest ally in parliament.

Another ally of the ruling coalition, the Balochistan Awami Party (BAP) with five members, had announced on Monday that it had "accepted the opposition's invitation" to vote against Khan. With all seven of MQM-P members joining the opposition, Khan's government has effectively lost its majority.

The former cricket star's
uster as PM would likely
mean another round of insta-
bility in the country, in which
the military has a long record
intervening in politics.

No Pakistan prime minister
seen out full five-year term
office

Earlier on Wednesday, Khan summoned a special session of a federal cabinet, with state-
Radio Pakistan reporting
on a special invitation
of the allied parties will
attend. Sources said the
political situation would
discussed with the objective
win back the MQM-P and
lawmakers.
The cabinet members and
invited to attend the spe-

the project. It was due to the tireless efforts of the LN Poddar, the chairman of our temple construction committee, we could mobilise around ₹100 crore, generated through public donation for the construction of the temple," said Das.

The three-storied temple has as many multi-purpose halls on each floor, including an auditorium, where at least 1,000 devotees can partake "prasad", besides the sanctum sanctorum, which can accommodate 5,000 people; a restaurant where "Karna-free food" will be served, and a "last hall". However, reports later stated that Khan had cancelled his address.

HEATWAVE

The maximum temperatures were above normal by 4-7 degrees at many places over the regions.

Heat wave to severe heat wave conditions were observed in most parts of Rajasthan and in some parts of Delhi; in isolated pockets of south Haryana and heat wave conditions in some parts of HP, UP and MP and in isolated pockets ofammu Division, according to the IMD.

Weather experts say that the rise in temperatures is due to lack of rainfall in the regions.

An area of anti-cyclone has formed near the south Sindhi region. The winds are rotating clockwise here. It is blowing hot and dry winds from the Southwest (Jasthan, Balochistan, Central Pakistan etc that are now blowing over Delhi, south Haryana, Southwest Uttar Pradesh etc.) This in combination with the lack of rainfall and western disturbances has led to an unbalanced spike in temperatures so early in the season," said Mush Palawat, vice president, climate change and meteorology, Skymet Weather.

According to IMD, a heat wave is recorded in areas where the normal maximum temperatures are in excess of 45°C when the actual maximum temperature is between 47°C to five degrees higher.

regions where the normal maximum temperature is 10 degrees Celsius or lower, a heat wave is declared when the maximum temperature is six degrees higher. A heat wave is declared only when the maximum temperature at a station reaches at least 100 degrees for plains, and at least 90 degrees in the hills.

at waves can also be
when the actual maxi-
temperature remains
45°C or more for a day
ective of normal maxi-
temperature.

HEAT WAVE TO SEVERE HEAT WAVE CONDITIONS WERE OBSERVED IN MOST PARTS OF RAJASTHAN AND IN SOME PARTS OF DELHI; IN ISOLATED POCKETS OF SOUTH HARYANA AND IN PARTS OF HP, UP AND MP

[illegible]

RAJASTHAN RAJYA VIDYUT PRASARAN NIGAM LIMITED

Notice Inviting Bid

E-bids are hereby invited from interested & experienced bidders/firm for the work of erection, testing & commissioning of various 132 KV transmission lines on labour contract basis under E&T (S&C) Harunagar up to 13.00 hrs on dated 19.04.2022 through E-procurement portal <https://rajppr.rajasthan.gov.in>. Other particulars of bid may be viewed on the e-procurement portal <https://rajppr.rajasthan.gov.in> of the state and <https://rajppr.rajasthan.gov.in> of the departmental website.

JBN-VPN2122WSV0001822

ender ID-2022-RRVPN 265257-1 265260-1

78/M/MD 06/03/2025/54/44104078297517 Email: procurement@rajppr.in

PUBLIC NOTICE

Environmental Clearance to the M/s Inland Green Energy (a unit of Inland Power Limited) has been granted by the Ministry of environment forest and climate change Government of India, vide its EC identification number EC22A060JH176111, File No. IA-11011/63/2022-IA-II(i). Date- 24/03/2022,(with xviii. nos. of specific conditions and xi. nos. of general conditions) for setting up a 350 KLPD Grain Based ethanol production unit, along with 15 MW Captive Power Plant at Vill- Tonagatu & Biyang, Block-Gola & Gulmi, Dist. Ramgarh, Jharkhand. Copy of the order is available at headquarter Jharkhand State Pollution Control Board Durguwa, Ranchi/Regional office Pollution Control Board, Hazaribag and at office of the Deputy commissioner Ramgarh also. It is also available at online Parivesh portal of Ministry of Environment and Forest & Climate Change, Govt. Of India, New Delhi with the link <http://parivesh.nic.in>.

BHARAT HEAVY ELECTRICALS LIMITED
Bhopal
(CMM-SUPPLIER DEVELOPMENT CELL)

REGISTRATION AS A SUPPLIER IN BHEL BHOPAL

Suppliers are requested to apply through online supplier registration portal for registration in BHEL-Bhopal as that they can compete in limited tenders of BHEL-Bhopal.

regular procurement list can be found at www.bhel.com >supplier registration (link on the bottom of)>online supplier registration portal>material search. select as MEP-Bhopal.

from regular procurement list as above BHEL-Bhopal are vendors for some specific items that are not authorized by Indian supplier or have a low supplier base. List can be accessed through <https://bpl.bhel.com/mm/-click-on-vendor> >vendors required for given item or PMD items with less than 10 vendors.

are requested to apply online for registration in BHEL-Bhopal by applying items as mentioned in above list. Link for registration is accessed from <https://www.bhel.com> - click on supplier registration-link>on online supplier registration portal and fill in registration form.

Supplier Development Cell
Admin Building – Second Floor
Piplani-Bhopal

 Indian Bank	
ALLAHABAD	
<p>Notice is hereby given under the Securitization and Reconstruction of conferred under section 13(2) and 13(1) read with Rules 8 and 9 of the the date notified against the account as mentioned hereinafter, calling on Borrower having failed to repay the amount, notice is hereby given to the the properties described herein below in exercise of powers conferred on mentioned against the Account. The Borrower in particular and the public will be subject to charge to Indian Bank (Enr/w/white Allahabad Bank) for</p>	
Name of Borrower	Name of the Borrower / Mortgagor/Guarantor (Owner of the Property)
1. Mrs. S K Enterprises (Borrower) Apsara Complex, Mohlied, Dist.-Muzaffarpur-842001, 2.Mr. Kundan Kumar Jha (Beneficial owner & mortgagor) 3. Mr. S K Enterprises, 3 Jilesh Kumar (Guarantor) Dist.-Muzaffarpur Jha Both are at Muzaffarpur Raghupur P.O. Har, Vill-Arripur, ut Harpur, PO- Srikant-PK, Dist.-Muzaffarpur-243115	All that Part and all at Muhalla-Bis- Mushari, Muzaffar- stands in the name of Sri Sanjay Kumar N. Sanjay Kumar
1.Mrs. S K Enterprises (Borrowing Firm),Proprietor, Mr. Santosh Kumar,Apsara Market,Mohlied, Dist.- Muzaffarpur-842001,2.Proprietor, Mr. Santosh Kumar(Borrower), 3.Mr.SD/Sri Suresh Kumar,3.Smt. Komal Devi (Guarantor/Mortgagor)-W/O. Mr. Santosh Kumar Both are at Muzaffarpur-842001, 4. Bala Bihar,Holding No-353/1213,Near Bar Chowk, MIG Pebli, Dist.-Muzaffarpur-842003	Property : All the assets situated at Bala,Muzaffarpur of Mrs. Komal de- Said Deed No Bineets Devi, E-
Place: Muzaffarpur	

 DELHI JAL BOARD (Govt. of N.C.T. of Delhi)
OFFICE OF THE ACE (DR.) PROJECT-III
THROUGH D/S SUPERINTENDING ENGINEER (C) D
Yamuna Vihar Sewage Treatment Plant (Adjoining Dr. Ambedkar Circle)
Phone: 011-22913581, e-mail: ace@djbo.org

PRESS NOT NO. 08/2021-22) D/S (C) ID-VII

S. No.	Name of Work	Estimated Contract Value (ECV)/Amount payable to tender (Rs.)	Earliest Money (EMD) (Rs.)	Tender processing Fee Non Refundable (Rs.)
1.	Providing/Supplying 850 mm dia. ring main from Ghazda SPS-1 to 16 MG STP Yamuna Vihar Phase-I, Delhi.	10,92,63,203/-	20,92,550/-	1500/-

Further details in this regard can be seen at <https://procurement.delhi.gov.in>
ISSUED BY P.R.O. (WATER)
ADvt. No. J.S.V. 13/21 (2021-22)
*Stop Corona: Wash Your Hand, Wear Mask, Maintain Social Distances.

DELHI JAL BOARD, GOVERNMENT OF NCT OF DELHI OFFICE OF THE ADDITIONAL CHIEF ENGINEER (M)					
EXECUTIVE ENGINEER (M/57/7)					
M-18, POCAR, RAJIV GANDHI PARK-II, DELHI-110028					
Phone No. 011-27772471, 247115, 247116, 247117, 247118, 247119, 247120, 247121, 247122, 247123, 247124, 247125, 247126, 247127, 247128, 247129, 247130, 247131, 247132, 247133, 247134, 247135, 247136, 247137, 247138, 247139, 247140, 247141, 247142, 247143, 247144, 247145, 247146, 247147, 247148, 247149, 247150, 247151, 247152, 247153, 247154, 247155, 247156, 247157, 247158, 247159, 247160, 247161, 247162, 247163, 247164, 247165, 247166, 247167, 247168, 247169, 247170, 247171, 247172, 247173, 247174, 247175, 247176, 247177, 247178, 247179, 247180, 247181, 247182, 247183, 247184, 247185, 247186, 247187, 247188, 247189, 247190, 247191, 247192, 247193, 247194, 247195, 247196, 247197, 247198, 247199, 247200, 247201, 247202, 247203, 247204, 247205, 247206, 247207, 247208, 247209, 247210, 247211, 247212, 247213, 247214, 247215, 247216, 247217, 247218, 247219, 247220, 247221, 247222, 247223, 247224, 247225, 247226, 247227, 247228, 247229, 247230, 247231, 247232, 247233, 247234, 247235, 247236, 247237, 247238, 247239, 247240, 247241, 247242, 247243, 247244, 247245, 247246, 247247, 247248, 247249, 247250, 247251, 247252, 247253, 247254, 247255, 247256, 247257, 247258, 247259, 247260, 247261, 247262, 247263, 247264, 247265, 247266, 247267, 247268, 247269, 247270, 247271, 247272, 247273, 247274, 247275, 247276, 247277, 247278, 247279, 247280, 247281, 247282, 247283, 247284, 247285, 247286, 247287, 247288, 247289, 247290, 247291, 247292, 247293, 247294, 247295, 247296, 247297, 247298, 247299, 247300, 247301, 247302, 247303, 247304, 247305, 247306, 247307, 247308, 247309, 247310, 247311, 247312, 247313, 247314, 247315, 247316, 247317, 247318, 247319, 247320, 247321, 247322, 247323, 247324, 247325, 247326, 247327, 247328, 247329, 247330, 247331, 247332, 247333, 247334, 247335, 247336, 247337, 247338, 247339, 247340, 247341, 247342, 247343, 247344, 247345, 247346, 247347, 247348, 247349, 247350, 247351, 247352, 247353, 247354, 247355, 247356, 247357, 247358, 247359, 247360, 247361, 247362, 247363, 247364, 247365, 247366, 247367, 247368, 247369, 247370, 247371, 247372, 247373, 247374, 247375, 247376, 247377, 247378, 247379, 247380, 247381, 247382, 247383, 247384, 247385, 247386, 247387, 247388, 247389, 247390, 247391, 247392, 247393, 247394, 247395, 247396, 247397, 247398, 247399, 247400, 247401, 247402, 247403, 247404, 247405, 247406, 247407, 247408, 247409, 247410, 247411, 247412, 247413, 247414, 247415, 247416, 247417, 247418, 247419, 247420, 247421, 247422, 247423, 247424, 247425, 247426, 247427, 247428, 247429, 247430, 247431, 247432, 247433, 247434, 247435, 247436, 247437, 247438, 247439, 247440, 247441, 247442, 247443, 247444, 247445, 247446, 247447, 247448, 247449, 247450, 247451, 247452, 247453, 247454, 247455, 247456, 247457, 247458, 247459, 247460, 247461, 247462, 247463, 247464, 247465, 247466, 247467, 247468, 247469, 247470, 247471, 247472, 247473, 247474, 247475, 247476, 247477, 247478, 247479, 247480, 247481, 247482, 247483, 247484, 247485, 247486, 247487, 247488, 247489, 247490, 247491, 247492, 247493, 247494, 247495, 247496, 247497, 247498, 247499, 247500, 247501, 247502, 247503, 247504, 247505, 247506, 247507, 247508, 247509, 247510, 247511, 247512, 247513, 247514, 247515, 247516, 247517, 247518, 247519, 247520, 247521, 247522, 247523, 247524, 247525, 247526, 247527, 247528, 247529, 247530, 247531, 247532, 247533, 247534, 247535, 247536, 247537, 247538, 247539, 247540, 247541, 247542, 247543, 247544, 247545, 247546, 247547, 247548, 247549, 247550, 247551, 247552, 247553, 247554, 247555, 247556, 247557, 247558, 247559, 247560, 247561, 247562, 247563, 247564, 247565, 247566, 247567, 247568, 247569, 247570, 247571, 247572, 247573, 247574, 247575, 247576, 247577, 247578, 247579, 247580, 247581, 247582, 247583, 247584, 247585, 247586, 24758					

Appendix IV (C-8(1))		Corporate Office: 254-268, Avasai Satali, Roy Pethah, Chennai-600014
POSSESSION NOTICE		Zonal Office: Om Shamali Corporation
(For Immovable Property)		Opposite Zile School, Muzaffarpur
<p>Financial Assets and Enforcement (Security) Interest Act, 2002 and in exercise of Priority Interest (Enforcement) Rules, 2002, The Authorised Officer issued a Demand Notice to repay the said amount within 60 days from the date of receipt of the said Demand Notice. Borrowers and the said agent read with Rules 8 & 9 of the said Rules are hereby cautioned to deal with the properties and any dealing with the same amounts and interest thereon mentioned against the account herein below.</p>		
Description of the Charged/Mortgaged Property (All the part & parcel of the property consisting of)		Date of Demand Notice
<p>Parcel of the property consisting of Mortgage assets situated at Chhapra, Ward no-49, Thiana No-261, PS-Bela, Anchalig, Khafia No-54, Kharsa No-338 Area 1.526 Hectare=669 a/c, Mr. M. Kundan Kumar Jha (Proprietor/mortgagee) through Sale Deed No. 4047 Dated 11.03.2015, Boundary Survey Number E- Kachhi Road, W Bhutta Ram & other</p>		Rs. 14,43,097/- + Int. & Arrear Bk and legal charges there upon
<p>Part and Parcel of the property consisting of Mortgage Ward no-49,Holding No-383/123 Near Bar Chowk,MIC Zone No. 178, Kharsa No. 356,Area 2.00 Des In his name W/O-Santosh Kumar (Guarantor/mortgagee) through a Dated 28.12.2010, Boundary : N- Rudal Kumar, S- Vide Road, W- Krishna Devi</p>		Rs. 48,12,393/- + Int. & Arrear Bk and legal charges there upon

शहर ३०९

10



1555

कला व हस्तकला

बुधवार को हुई। इसका उद्घाटन
हैमन्तरोम और संस्थान के सचिव
ओं का स्वागत पুষागुच्छ और स्प

ने कौमी तंजीम द्वारा
मी तंजीम हारखंड की बैठक

हमद सहित अन्य शामिल थे।

में आजादी के दीव

जार्जी के दीवाने नष्टक का मंच
नयकों की कुर्बानियों को दिखा
नहीं लिया गया है। कलाकारों
यक नह, जो कभी याद नहीं लि

री चालित स्पेयर म

प्रतिनिधि को

चेतावनी टी
सभी कार्यो के
रांची शहर

मिथिलेश कुमार
परिष्करण विभाग
जाकर स्थायी दे

साथ ही जय
प्रयोगशाला में
शुद्ध पयजल

कार्य नहीं
एजेंसी के

जयपा

- दायकर्ता
- विपक्षीगण

स्व. मुकुटधर
इरु, जिला-

4. सेंकेण्ड
मैन रोड,

मुख्य बक्त
रांची के पत्र
विभाग के अ

अधिवक्ता के कार्रवाई करे कार्रवाई की

जिंदगी-
र से जारी
पिकारी

सासाइटी क
कुमार खोस
इंदिरा गांधी रा
के. डी. कुमार

सीयूजे

कथाओं
रांची। केंद्र
आरखंड / सी

भाषा विभाग,
विभाग, परप

मूल्य (रु०) ००.००
प्रकाशक
विश्व प्रकाशक

की गई।
संगोष्ठी के
नाथ शर्मा ने ब

2021-2022-2023-2024-2025-2026-2027-2028-2029-2030-2031-2032-2033-2034-2035-2036-2037-2038-2039-2040-2041-2042-2043-2044-2045-2046-2047-2048-2049-2050-2051-2052-2053-2054-2055-2056-2057-2058-2059-2060-2061-2062-2063-2064-2065-2066-2067-2068-2069-2070-2071-2072-2073-2074-2075-2076-2077-2078-2079-2080-2081-2082-2083-2084-2085-2086-2087-2088-2089-2090-2091-2092-2093-2094-2095-2096-2097-2098-2099-2100-2101-2102-2103-2104-2105-2106-2107-2108-2109-2110-2111-2112-2113-2114-2115-2116-2117-2118-2119-2120-2121-2122-2123-2124-2125-2126-2127-2128-2129-2130-2131-2132-2133-2134-2135-2136-2137-2138-2139-2140-2141-2142-2143-2144-2145-2146-2147-2148-2149-2150-2151-2152-2153-2154-2155-2156-2157-2158-2159-2160-2161-2162-2163-2164-2165-2166-2167-2168-2169-2170-2171-2172-2173-2174-2175-2176-2177-2178-2179-2180-2181-2182-2183-2184-2185-2186-2187-2188-2189-2190-2191-2192-2193-2194-2195-2196-2197-2198-2199-2200-2201-2202-2203-2204-2205-2206-2207-2208-2209-2210-2211-2212-2213-2214-2215-2216-2217-2218-2219-2220-2221-2222-2223-2224-2225-2226-2227-2228-2229-2230-2231-2232-2233-2234-2235-2236-2237-2238-2239-2240-2241-2242-2243-2244-2245-2246-2247-2248-2249-2250-2251-2252-2253-2254-2255-2256-2257-2258-2259-2260-2261-2262-2263-2264-2265-2266-2267-2268-2269-2270-2271-2272-2273-2274-2275-2276-2277-2278-2279-2280-2281-2282-2283-2284-2285-2286-2287-2288-2289-2290-2291-2292-2293-2294-2295-2296-2297-2298-2299-2300-2301-2302-2303-2304-2305-2306-2307-2308-2309-2310-2311-2312-2313-2314-2315-2316-2317-2318-2319-2320-2321-2322-2323-2324-2325-2326-2327-2328-2329-2330-2331-2332-2333-2334-2335-2336-2337-2338-2339-2340-2341-2342-2343-2344-2345-2346-2347-2348-2349-2350-2351-2352-2353-2354-2355-2356-2357-2358-2359-2360-2361-2362-2363-2364-2365-2366-2367-2368-2369-2370-2371-2372-2373-2374-2375-2376-2377-2378-2379-2380-2381-2382-2383-2384-2385-2386-2387-2388-2389-2390-2391-2392-2393-2394-2395-2396-2397-2398-2399-2400-2401-2402-2403-2404-2405-2406-2407-2408-2409-2410-2411-2412-2413-2414-2415-2416-2417-2418-2419-2420-2421-2422-2423-2424-2425-2426-2427-2428-2429-2430-2431-2432-2433-2434-2435-2436-2437-2438-2439-2440-2441-2442-2443-2444-2445-2446-2447-2448-2449-2450-2451-2452-2453-2454-2455-2456-2457-2458-2459-2460-2461-2462-2463-2464-2465-2466-2467-2468-2469-2470-2471-2472-2473-2474-2475-2476-2477-2478-2479-2480-2481-2482-2483-2484-2485-2486-2487-2488-2489-2490-2491-2492-2493-2494-2495-2496-2497-2498-2499-2500-2501-2502-2503-2504-2505-2506-2507-2508-2509-2510-2511-2512-2513-2514-2515-2516-2517-2518-2519-2520-2521-2522-2523-2524-2525-2526-2527-2528-2529-2530-2531-2532-2533-2534-2535-2536-2537-2538-2539-2540-2541-2542-2543-2544-2545-2546-2547-2548-2549-2550-2551-2552-2553-2554-2555-2556-2557-2558-2559-2560-2561-2562-2563-2564-2565-2566-2567-2568-2569-2570-2571-2572-2573-2574-2575-2576-2577-2578-2579-2580-2581-2582-2583-2584-2585-2586-2587-2588-2589-2590-2591-2592-2593-2594-2595-2596-2597-2598-2599-2600-2601-2602-2603-2604-2605-2606-2607-2608-2609-2610-2611-2612-2613-2614-2615-2616-2617-2618-2619-2620-2621-2622-2623-2624-2625-2626-2627-2628-2629-2630-2631-2632-2633-2634-2635-2636-2637-2638-2639-2640-2641-2642-2643-2644-2645-2646-2647-2648-2649-2650-2651-2652-2653-2654-2655-2656-2657-2658-2659-2660-2661-2662-2663-2664-2665-2666-2667-2668-2669-2670-2671-2672-2673-2674-2675-2676-2677-2678-2679-2680-2681-2682-2683-2684-2685-2686-2687-2688-2689-2690-2691-2692-2693-2694-2695-2696-2697-2698-2699-2700-2701-2702-2703-2704-2705-2706-2707-2708-2709-2710-2711-2712-2713-2714-2715-2716-2717-2718-2719-2720-2721-2722-2723-2724-2725-2726-2727-2728-2729-2730-2731-2732-2733-2734-2735-2736-2737-2738-2739-2740-2741-2742-2743-2744-2745-2746-2747-2748-2749-2750-2751-2752-2753-2754-2755-2756-2757-2758-2759-2760-2761-2762-2763-2764-2765-2766-2767-2768-2769-2770-2771-2772-2773-2774-2775-2776-2777-2778-2779-2780-2781-2782-2783-2784-2785-2786-2787-2788-2789-2790-2791-2792-2793-2794-2795-2796-2797-2798-2799-2800-2801-2802-2803-2804-2805-2806-2807-2808-2809-2810-2811-2812-2813-2814-2815-2816-2817-2818-2819-2820-2821-2822-2823-2824-2825-2826-2827-2828-2829-2830-2831-2832-2833-2834-2835-2836-2837-2838-2839



YUGANTAR BHARATI

ANALYTICAL & ENVIRONMENTAL ENGINEERING LABORATORY

Accredited by :- NABL accredited testing laboratory vide certificate Number TC-4032
Jharkhand State Pollution Control Board (JSPCB)
ISO 9001:2015 & ISO 45001:2018



TC-4032

Test Certificate

ULR (Unique Lab Report) No.		T C 4 0 3 2 2 2 0 0 0 0 0 7 0 4 F																		
Discipline	Chemical	Group	Atmospheric Pollution				Sample Description				Ambient Air Quality									
Report Release Date	03 rd May, 2022				Report ID				YBAEEL-220421-145041-A01											
W. Order/ JSPCB App. No.	13037165				Work Order Date				20.04.2022											
Type of Industry (If any)	Ethanol Plant (for CTE)				Job code/ Ref. no.				YBAEEL/WA/L/A/Apr-22/43											
Report Issue to	M/s Inland Green Energy (A Unit of Inland Power Limited) Village - Tonagatu Biyang, Dist.-Ramgarh, Jharkhand.																			
Sampling Period	28/04/2022- 29/04/2022				Mode of sample collection				By YBAEEL Team											
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-1(NAAQM/36/2012-13)																			
Sampling Locations	A. East Direction				23°29'03.10"N, 85°39'38.39"E															
	B. North Direction				23°29'07.66"N, 85°39'38.16"E															
	C. West Direction				23°29'09.29"N, 85°39'31.94"E															
Meteorological Cond. of Field	W.C.- Clear				RH % - 38				Temp. - 34°C				W.D.- West - East							
Sample receipt Date	29/04/2022				Analysis Started on				29/04/2022				Analysis completed on				02/05/2022			

*****Test Results*****

Parameters	Test Methods	Units	MU %	Sampling Location			Limits
				Site A	Site B	Site C	
Particulate matter (PM ₁₀)	IS:5182 (P-23) 2006, RA 2017	µg/m ³	2.68	80.6	77.4	85.5	100
Particulate matter (PM _{2.5})	IS:5182 (P-24) 2019	µg/m ³	2.60	42.9	37.3	40.1	60
Sulphure Dioxide (SO ₂)	IS:5182 (P-2) 2001 RA 2017	µg/m ³	7.84	22.2	20.6	17.9	80
Nitrogen Dioxide (NO ₂)	IS:5182 (P-6) 2006 RA 2017	µg/m ³	4.17	40.2	36.7	39.5	80

*****End of Report*****

Limit is specified as	Environmental (Protection) Rule - 1986.
Abbreviation	MDL : Minimum detection limit, BDL : Below detection limit.
Env. Condition of Lab	Laboratory is maintaining Temperature 27 ± 2°C and Relative Humidity 65 ± 5% in all testing areas as per IS 196:1966 (C).
Specific contractual notes	All values are expressed in as unit and results listed refer only to the tested sample and applicable parameter in Lab's Permanent Facility.
	This report, in full or in part, shall not be used for advertising or as evidence in any court of law.
	This report cannot be reproduced, except when in full, without the written permission of the CEO.
	The samples collected shall be destroyed after 7 days from the date of issue of the certificate unless specified otherwise.
	The liability of the laboratory is limited to the invoiced amount.
Remarks	All disputes are subjected to the Ranchi Jurisdiction.
	Samples comply with prescribed limits.

Sample Drawn By - Angad Munda
Tested By - Amit Kumar Sinha (Lab Analyst)

Only CONCERN for
Jharkhand State Pollution Control Board
Application No. 13037165
Allotted Date 20.04.2022
Submission Date 03.05.2022

Verified by Brij Nandan Kumar Section In-Charge	Issued by Umesh Das Technical Manager
---	---

Authorized Signatory
Atmospheric Pollution
Yugantar Bharati Analytical &
Environmental Engineering Laboratory

Technical Manager
Yugantar Bharati Analytical &
Environmental Engineering Laboratory

Branch Office : - Jamshedpur | Dhanbad | Hazaribag | Pakur

Main Office : Namkum Post Office, Sidroul, Ranchi - 834010, Jharkhand
Ph : 09835-97960, 098357-86677, Email - ybaeel@gmail.com, Web - https://ybaeel.in





YUGANTAR BHARATI

ANALYTICAL & ENVIRONMENTAL ENGINEERING LABORATORY

Accredited by: - NABL accredited testing laboratory vide certificate Number TC-4032
Jharkhand State Pollution Control Board (JSPCB)
Certified by: - ISO 9001:2015 & ISO 45001:2018



Test Certificate

ULR (Unique Lab Report) No.			T C 4 0 3 2 2 2 0 0 0 0 7 0 5 F																	
Discipline	Chemical	Group	Atmospheric Pollution				Sample Description				Ambient Noise									
Report Release Date		03 rd May, 2022				Report ID				YBAEEL-220421-145041-N01										
W. Order / JSPCB App. No.		13037165				Work Order Date				20.04.2022										
Type of Industry (If any)		Ethanol Plant (for CTE)				Job code/ Ref. no.				YBAEEL/WA/L/A/Apr-22/43										
Report issue to		M/s Inland Green Energy (A Unit of Inland Power Limited) Village - Tonagatu Biyang, Dist.-Ramgarh, Jharkhand.																		
Sampling Period		28/04/2022- 29/04/2022				Mode of sample collection				By YBAEEL Team										
Sampling Protocol		IS 9989:1981 (RA 2020)																		
Meteorological Cond. of Field		W.C.- Clear				RH % - 38				Temp. - 34°C										
Sample receipt Date		29/04/2022		Analysis Started on		29/04/2022		Analysis completed on				02/05/2022								

SI	Locations	Parameters	Units	MU %	Day Time (6.00 a.m. to 10.00 p.m.)	Night Time (10.00 p.m. to 6.00 a.m.)	Limits
1.	East Direction	Leq	dB (A)	3.32	56.0	41.6	Day - 75 Night - 70
2.	North Direction	Leq	dB (A)	3.32	57.2	40.7	
3.	West Direction	Leq	dB (A)	3.32	58.7	39.7	

*****End of Report*****

<ul style="list-style-type: none"> Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority. Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority. dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale(A) which is relatable to human hearing. 	Area		Unit	Day Time	Night time
	A	Industrial Area	dB (A)	75.0	70.0
	B	Commercial Area	dB (A)	65.0	55.0
	C	Residential Area	dB (A)	55.0	45.0
	D	Silence Zone	dB (A)	50.0	40.0

Limit is specified as	Noise pollution (Regulation & Control) Rules, 2000.
Abbreviation	MDL : Minimum detection limit. BDL : Below detection limit.
Env. Condition of Lab	Laboratory is maintaining, Temperature $27 \pm 2^\circ\text{C}$ and Relative Humidity $65 \pm 5\%$ in all testing areas as per IS 196:1966 (C).
Specific contractual notes	All values are expressed in as unit and results listed refer only to the tested sample and applicable parameter in Lab's Permanent Facility. This report, in full or in part, shall not be used for advertising or as evidence in any court of law. This report cannot be reproduced, except when in full, without the written permission of the CEO. The samples collected shall be destroyed after 7 days from the date of issue of the certificate unless specified otherwise. The liability of the laboratory is limited to the invoiced amount. All disputes are subjected to the Ranchi Jurisdiction.
Remarks	Samples comply with prescribed limit.

Sample Drawn By - Angad Munda
Tested By - Amit Kumar Sinha (Lab Analyst)

Only CONCERN for
Jharkhand State Pollution Control Board
Application No. 13037165
Allotted Date 20.04.2022
Submission Date 23.05.2022

Verified by Brij Nandan Kumar Section In-Charge	Issued by Umesh Das Technical Manager
---	---

Authorized Signatory
Atmospheric Pollution
Yugantar Bharati Analytical &
Environmental Engineering Laboratory

Technical Manager
Yugantar Bharati Analytical &
Environmental Engineering Laboratory

Branch Office :- Jamshedpur Dhanbad Hazaribag Pakur

Main Office : Namkum Post Office, Sidroul, Ranchi - 834010, Jharkhand
Ph : 09835-97960, 098357-86677, Email - ybaeel@gmail.com, Web - https://ybaeel.in

