

**BY SPEED POST**

J-13012/115/2008-IA.II (T)
Government of India
Ministry of Environment & Forests

Ph: 011-2436 3973
 Paryavaran Bhawan
 CGO Complex, Lodi Road
 New Delhi-110 003
 Dated: 20th December, 2011.

To

M/s Inland Power Ltd.
 3A, Auckland Place,
 Suit No. 5A, 5th Floor,
 Kolkata-700 017

Sub: 2x63 MW Thermal Power Plant at village Tonagatu, in Gola Taluk, in Ramgarh Distt., in Jharkhand - reg. Environmental Clearance.

Sir,

The undersigned is directed to refer to your letters dated 28.04.2011 and 28.08.2011 respectively on the subject mentioned above. The Ministry of Environment & Forests has examined the application.

2. It has been noted that the proposal is for setting up of 2x63 MW Thermal Power Plant at village Tonagatu, in Gola Taluk, in Ramgarh Distt., in Jharkhand. Fuel for the plant will be mixture of coal, washery reject and dolochar in the ratio 50:20:30. Land requirement will be 79.92 acres, out of which 7.88 acres is single crop agricultural land and 72.04 acres is waste land. The co-ordinates of the site are at Latitude 23°28'947"N to 23°29'303"N and Longitude 85°39'368" E to 85°39'773" E. Total fuel requirement will be 0.966 MTPA, out of which 0.484 MTPA will be coal; 0.193 MTPA will be washery reject; and 0.290 MTPA will be Dolochar. Coal will be obtained from M/s Jharkhand State Mineral Development Corporation; washery rejects will be obtained from M/s S & T Mining (M/s Sail & M/s TATA Joint Venture). Dolochar will be obtained from the Sponge iron Plants. Sulphur and ash contents in coal will be about 0.3% and 52% respectively. Fly ash will be supplied to Bricks and Cement manufacturers. Also a 92 million brick manufacturing plant will be installed. About 0.475 MTPA of fly ash and 0.025 MTPA of bottom ash respectively will be generated. CFBC Boiler will be installed. Water requirement will be 4.5 MCM/annum and will be sourced from the Senegrah River and Bhairvi River through a pipeline about a distance of 1.2 km and 3.86 km respectively from the project site. Water linkage was allocated from Govt. of Jharkhand on 05.05.2010. There are no National Parks, Wildlife Sanctuaries, Heritage Sites, Tiger/Biosphere reserves etc. within 10 km of the site. Public hearing was held on 03.05.2010. Cost of the project will be Rs 633.90 Crores.

3. The project has been considered in accordance with the provisions of the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated September 14, 2006.

4. Based on the information submitted by you, as at Para 2 above and others and presentation made before the Expert Appraisal Committee (Thermal Power) in its 30th Meetings held during August 8-9, 2011, by you and your consultant, the Ministry of Environment and Forests hereby accords environmental clearance to the above project under the provisions of EIA notification dated September 14, 2006, subject to the compliance of the following Specific and General conditions:

A. Specific Conditions:

- (i) In case source of fuel supply or ratio is to be changed at a later stage (now proposed as mixture of coal, washery rejects and dolachar in the ratio 50:20:30) the project proponent shall intimate the Ministry well in advance along with necessary requisite documents for its concurrence for allowing the change. In such a case the necessity for re-conducting public hearing may be decided by the Ministry in consultation with the Expert Appraisal Committee.
- (ii) Scheme for implementation for harnessing solar power within the premises of the plant particularly at available roof tops shall be formulated and status of implementation shall be submitted to the Regional Office of the Ministry.
- (iii) Fly ash shall not be used for mine void filling without carrying geo-hydrological study.
- (iv) In case fly ash is to be supplied to brick manufacturing units it shall be ensured that a detailed study on chemical composition particularly heavy metal and radio activity contents shall be first carried out through a reputed institute and report shall be submitted to Regional Office of the Ministry. Only after ascertaining its radioactive level shall be utilized for brick manufacturing or supplied to brick manufacturers.
- (v) The project proponent shall undertake measures and ensure that no fugitive fly ash emissions take place at any point of time.
- (vi) Stack of 95 m height with flue gas velocity not less than 22 m/s shall be installed and provided with continuous online monitoring equipments for SO_x, NO_x and PM_{2.5} & PM₁₀. Mercury emissions from stack may also monitored on periodic basis.
- (vii) High Efficiency Electrostatic Precipitators (ESPs) shall be installed to ensure that particulate emission does not exceed 50 mg/Nm³.

- (viii) Adequate dust extraction system such as cyclones/ bag filters and water spray system in dusty areas such as in coal handling and ash handling points, transfer areas and other vulnerable dusty areas shall be provided.
- (ix) Utilisation of 100% Fly Ash generated shall be made from 4th year of operation. Status of implementation shall be reported to the Regional Office of the Ministry from time to time.
- (x) Fly ash shall be collected in dry form and storage facility (silos) shall be provided. Unutilized fly ash shall be disposed off in the ash pond in the form of slurry form. Mercury and other heavy metals (As, Hg, Cr, Pb etc.) will be monitored in the bottom ash as also in the effluents emanating from the existing ash pond. No ash shall be disposed off in low lying area.
- (xi) Ash pond shall be lined with HDP/LDPE lining or any other suitable impermeable media such that no leachate takes place at any point of time. Adequate safety measures shall also be implemented to protect the ash dyke from getting breached.
- (xii) Existing de-generated water bodies (if any) within 5.0 Km area shall be regenerated at the project proponent's expenses in consultation with the State Govt.
- (xiii) Source of water for meeting the requirement during lean season shall be specified and submitted to the Regional Office of the Ministry.
- (xiv) No ground water shall be extracted for use in operation of the power plant even in lean season.
- (xv) No water bodies (including natural drainage system) in the area shall be disturbed due to activities associated with the setting up / operation of the power plant.
- (xvi) Minimum required environmental flow suggested by the Competent Authority of the State Govt. shall be maintained in the Channel/ Rivers (as applicable) even in lean season.
- (xvii) COC of 5.0 shall be adopted.
- (xviii) Regular monitoring of ground water level shall be carried out by establishing a network of existing wells and constructing new piezometers. Monitoring around the ash pond area shall be carried out particularly for heavy metals (Hg, Cr, As, Pb) and records maintained and submitted to the Regional Office of this Ministry. The data so obtained

should be compared with the baseline data so as to ensure that the ground water quality is not adversely affected due to the project.

- (xix) Monitoring surface water quality in the area shall also be regularly conducted and records maintained. The monitored data shall be submitted to the Ministry regularly. Further, monitoring points shall be located between the plant and drainage in the direction of flow of ground water and records maintained. Monitoring for heavy metals in ground water shall be undertaken.
- (xx) Waste water generated from the plant shall be treated before discharge to comply limits prescribed by the SPCB.
- (xxi) A well designed rainwater harvesting shall be put in place before commissioning of the plant. Central Groundwater Authority/ Board shall be consulted for finalization of appropriate rainwater harvesting technology/design and details shall be furnished to the Regional Office of the Ministry. The design of rain water harvesting shall comprise of rain water collection from the built up and open area in the plant premises. Action plan and road map for implementation shall be submitted to the Ministry within six months.
- (xxii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xxiii) Green Belt consisting of 3 tiers of plantations of native species around plant and 50 m width shall be raised. The density of trees shall not less than 2500 per ha with survival rate not less than 80 %.
- (xxiv) The project proponent shall also adequately contribute in the development of the neighbouring villages. Special package with implementation schedule for providing potable drinking water supply in the nearby villages and schools shall be undertaken in a time bound manner.
- (xxv) CSR scheme shall be undertaken based on need based assessment in and around the villages within 10.0 km of the site and in constant consultation with the village Panchayat and the District Administration. As part of CSR activity, the company shall impart training to the local youth in the area.
- (xxvi) It shall be ensured that an in-built monitoring mechanism for the CSR schemes identified is in place and annual social audit shall be got done from the nearest preferably government institute of repute in the region. The project proponent shall also submit the status of

implementation of the scheme from time to time. The achievements should be put on company's website.

- (xxvii) An amount of Rs 3.50 Crores shall be earmarked as one time capital cost for CSR programme as committed by the project proponent. Subsequently a recurring expenditure of Rs 1.50 Crores per annum till the life of the plant shall be earmarked as recurring expenditure for CSR activities. Details of the activities to be undertaken shall be submitted within six month along with road map for implementation.
- (xxviii) An Environmental Cell shall be created at the project site itself and shall be headed by an officer of appropriate superiority and qualification. It shall be ensured that the head of the Cell shall directly report to the Head of the Organization.

B. General Conditions:

- (i) The treated effluents conforming to the prescribed standards only shall be re-circulated and reused within the plant. Arrangements shall be made that effluents and storm water do not get mixed.
- (ii) A sewage treatment plant shall be provided (as applicable) and the treated sewage shall be used for raising greenbelt/plantation.
- (iii) Adequate safety measures shall be provided in the plant area to check/minimize spontaneous fires in coal yard, especially during summer season. Copy of these measures with full details along with location plant layout shall be submitted to the Ministry as well as to the Regional Office of the Ministry.
- (iv) Storage facilities for auxiliary liquid fuel such as LDO/ HFO/LSHS shall be made in the plant area in consultation with Department of Explosives, Nagpur. Sulphur content in the liquid fuel will not exceed 0.5%. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of oil.
- (v) First Aid and sanitation arrangements shall be made for the drivers and other contract workers during construction phase.
- (vi) Noise levels emanating from turbines shall be so controlled such that the noise in the work zone shall be limited to 85 dBA from source. For people working in the high noise area, requisite personal protective equipment like earplugs/car muffs etc. shall be provided. Workers engaged in noisy areas such as turbine area, air compressors etc shall be periodically examined to maintain audiometric record and for treatment for any hearing loss including shifting to non noisy/less noisy areas.

- (vii) Regular monitoring of ambient air ground level concentration of SO₂, NO_x, PM_{2.5} & PM₁₀ and Hg shall be carried out in the impact zone and records maintained. If at any stage these levels are found to exceed the prescribed limits, necessary control measures shall be provided immediately. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with SPCB. Periodic reports shall be submitted to the Regional Office of this Ministry. The data shall also be put on the website of the company.
- (viii) Provision shall be made for the housing of construction labour (as applicable) within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (ix) The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned within seven days from the date of this clearance letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and Forests at <http://envfor.nic.in>.
- (x) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad / Municipal Corporation, urban local Body and the Local NGO, if any, from whom suggestions/representations, if any, received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM (PM_{2.5} & PM₁₀), SO₂, NO_x (ambient levels as well as stack emissions) shall be displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The environment statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of the Ministry by e-mail.

- (xiii) The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Central Pollution Control Board and State Pollution Control Board. The project proponent shall upload the status of compliance of the environment of the environmental clearance conditions on their website and update the same periodically and simultaneously send the same by e-mail to the Regional Office, Ministry of Environment and Forests.
- (xiv) Regional Office of the Ministry of Environment & Forests will monitor the implementation of the stipulated conditions. A complete set of documents including Environmental Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their use during monitoring. Project proponent will up-load the compliance status in their website and up-date the same from time to time at least six monthly basis. Criteria pollutants levels including NO_x (from stack & ambient air) shall be displayed at the main gate of the power plant.
- (xv) Separate funds shall be allocated for implementation of environmental protection measures along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the Ministry.
- (xvi) The project authorities shall inform the Regional Office as well as the Ministry at New Delhi regarding the date of financial closure and final approval of the project by the concerned authorities and the dates of start of land development work and commissioning of plant.
- (xvii) Full cooperation shall be extended to the Scientists/Officers from the Ministry / Regional Office of the Ministry/ CPCB/ SPCB who would be monitoring the compliance of environmental status.

5. The Ministry of Environment and Forests reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the Ministry. The Ministry may also impose additional environmental conditions or modify the existing ones, if necessary.


6. The environmental clearance accorded shall be valid for a period of 5 years to start operations by the power plant.

7. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

8. In case of any deviation or alteration in the project proposed including coal transportation system from those submitted to this Ministry for clearance, a fresh reference should be made to the Ministry to assess the adequacy of the condition(s) imposed and to add additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and its amendments, the Public Liability Insurance Act, 1991 and its amendments.

Yours faithfully,


(Dr. P.L. Ahujarai)
Scientist 'F'


Copy to:

1. The Secretary, Ministry of Power, Shram Shakti Bhawan, Rafi Marg, New Delhi 110001.
2. The Secretary (Environment), Environment Department, Government of Jharkhand.
3. The Chairman, Central Electricity Authority, Sewa Bhawan, R.K. Puram, New Delhi-110066.
4. The Chairman, Jharkhand Pollution Control Board, TA Building, HEC Complex, P.O. Dhurwa, Distt. Ranchi-834 004 with a request to display a copy of the clearance letter at the Regional Office, District Industries Centre and Collector's office for 30 days.
5. The Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment & Forests, Government of Jharkhand, A/3, Chandrasekharpur, Bhubaneswar- 751023.
6. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
7. The District Collector, Ramgarh District, Govt. of Jharkhand, Ranchi.
8. Guard file.
9. Monitoring file.

(Dr. P.L. Ahujarai)
Scientist 'F'

Copy to:-

1. **The Secretary**, Department of Environment, Government of Jharkhand, Secretariat Ranchi.
2. **The Additional Principal Chief Conservator of Forests (C)**, Ministry of Environment and Forest, Regional Office (ECZ), Bungalow No. A-2, Shyamali Colony, Ranchi-834002.
3. **The Chairman, Central Pollution Control Board**, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
4. **The Chairman**, Jharkhand State Pollution Control Board, CTI Colony, Sector 4, Birsa Nagar, Ranchi, Jharkhand 834004
5. **The District Collector, Ramgarh** District, Government of Jharkhand.
6. **Guard File/Record File/Monitoring File.**
7. MoEF&CC Website


(Sharath Kumar Pallerla)
Scientist 'F'/Director

